


GLOBAL TRAC PULSE CONTROL TRACKS

Available colours: -1 grey (RAL 7040), -2 black (RAL 9005), -3 white (RAL 9016).

Surface Mounted Tracks:

Purchase Code	Type	EAN code	Length (mm)	Colour	PCS/ Package
KKT30511	XTSC6100-1	6410014531423	1000	Grey	4/240
KKT30512	XTSC6100-2	6410014531430	1000	Black	4/240
KKT30513	XTSC6100-3	6410014531478	1000	White	4/240
KKT30521	XTSC6200-1	6410014531485	2000	Grey	4/240
KKT30522	XTSC6200-2	6410014531492	2000	Black	4/240
KKT30523	XTSC6200-3	6410014531508	2000	White	4/240
KKT30531	XTSC6300-1	6410014531515	3000	Grey	4/240
KKT30532	XTSC6300-2	6410014531522	3000	Black	4/240
KKT30533	XTSC6300-3	6410014531539	3000	White	4/240
KKT30541	XTSC6400-1	6410014531546	4000	Grey	4/240
KKT30542	XTSC6400-2	6410014531553	4000	Black	4/240
KKT30543	XTSC6400-3	6410014531560	4000	White	4/240


XTSC 6100-6400
Surface



Recessed Tracks:

KKT305011	XTSCF6100-1	6410014531577	1000	Grey	6/180
KKT305012	XTSCF6100-2	6410014531584	1000	Black	6/180
KKT305013	XTSCF6100-3	6410014531591	1000	White	6/180
KKT305021	XTSCF6200-1	6410014531607	2000	Grey	6/180
KKT305022	XTSCF6200-2	6410014531614	2000	Black	6/180
KKT305023	XTSCF6200-3	6410014531621	2000	White	6/180
KKT305031	XTSCF6300-1	6410014531638	3000	Grey	6/180
KKT305032	XTSCF6300-2	6410014531645	3000	Black	6/180
KKT305033	XTSCF6300-3	6410014531683	3000	White	6/180


XTSCF 6100-6300
Recessed




Recessed Track Accessories:

KKT304104	XTSNC610-1	6410014501341	Cover plate: XTSC611-XTSNC614	Grey	1/100
KKT304105	XTSNC610-2	6410014501358	Cover plate: XTSC611-XTSNC614	Black	1/100
KKT304106	XTSNC610-3	6410014501365	Cover plate: XTSC611-XTSNC614	White	1/100
KKT304304	XTSNC630-1	6410014501372	Cover plate: XTSNC634-XTSNC640	Grey	1/100
KKT304305	XTSNC630-2	6410014501389	Cover plate: XTSNC634-XTSNC640	Black	1/100
KKT304306	XTSNC630-3	6410014501396	Cover plate: XTSNC634-XTSNC640	White	1/100

Cover plates
XTSNC 610




XTSNC 630



Bending tool for track power wires:

KKT30155	XTSV12	6410014500993		Blue	1/100
----------	--------	---------------	--	------	-------


Tool XTSV 12



Cover strip for track opening:

KKT30152	XTSP11-2	6410014530990	Length 3000mm	Black	10/100
KKT30151	XTSP11-3	6410014530983	Length 3000mm	White	10/100



Cover strip
XTSP 11



GLOBAL TRAC PULSE CONTROL ACCESSORIES


All materials are halogen free and VO self-extinguishing.
Available colours: -1 grey (RAL 7040), -2 black (RAL 9005), -3 white (RAL 9016).

End Feeds:



Purchase Code	Type	EAN code	Polarity Ridge	Colour	PCS/ Package
KKT305111	XTSC611-1	6410014532376		Grey	1/50
KKT305112	XTSC611-2	6410014532383		Black	1/50
KKT305113	XTSC611-3	6410014532390		White	1/50
KKT305121	XTSC612-1	6410014532406		Grey	1/50
KKT305122	XTSC612-2	6410014532413		Black	1/50
KKT305123	XTSC612-3	6410014532420		White	1/50

End feed XTSC 611, 612

1. 90 mm, 2. 155 mm








Connectors with Power Supply Option:

KKT3053412	XTSNC634-1	6410014500917		Grey	1/25
KKT3053422	XTSNC634-2	6410014500924		Black	1/25
KKT3053432	XTSNC634-3	6410014500931		White	1/25
KKT3053512	XTSNC635-1	6410014500948		Grey	1/25
KKT3053522	XTSNC635-2	6410014500955		Black	1/25
KKT3053532	XTSNC635-3	6410014500962		White	1/25

L-feed XTSNC 634, 635


1. 59 mm, 2. 91 mm 3. 156 mm




KKT3053612	XTSNC636-1	6410014500979		Grey	1/20
KKT3053622	XTSNC636-2	6410014500986		Black	1/20
KKT3053632	XTSNC636-3	6410014501006		White	1/20
KKT3053712	XTSNC637-1	6410014501013		Grey	1/20
KKT3053722	XTSNC637-2	6410014501020		Black	1/20
KKT3053732	XTSNC637-3	6410014501037		White	1/20
KKT3053912	XTSNC639-1	6410014501044		Grey	1/20
KKT3053922	XTSNC639-2	6410014501082		Black	1/20
KKT3053932	XTSNC639-3	6410014501099		White	1/20
KKT3054012	XTSNC640-1	6410014501105		Grey	1/20
KKT3054022	XTSNC640-2	6410014501112		Black	1/20
KKT3054032	XTSNC640-3	6410014501129		White	1/20

T-feed XTSNC 636, 637, 639, 640


1. 280 mm, 2. 150 mm 3. 59 mm
4. 124 mm 5. 91 mm
6. 156 mm



KKT3053812	XTSNC638-1	6410014501136		Grey	1/10
KKT3053822	XTSNC638-2	6410014501143		Black	1/10
KKT3053832	XTSNC638-3	6410014501181		White	1/10

X-feed XTSNC 638


1. 59 mm, 2. 150 mm 3. 280 mm



KKT3051412	XTSNC614-1	6410014501198	Grey	1/25
KKT3051422	XTSNC614-2	6410014501204	Black	1/25
KKT3051432	XTSNC614-3	6410014501211	White	1/25


Middle feed XTSNC 614

1. 150 mm, 2. 280 mm



POLARITY IN TRAC PULSE

Use of L-, T- and X- Feed. Red line indicates polarity ridge



Connectors without option for power supply:

Purchase Code	Type	EAN code	Colour	PCS/ Package
KKT304211	XTSC621-1	6410014532109	Grey	1/100
KKT304212	XTSC621-2	6410014532116	Black	1/100
KKT304213	XTSC621-3	6410014532123	White	1/100

KKT305231	XTSC623-1	6410014532130	Grey	1/25
KKT305232	XTSC623-2	6410014532147	Black	1/25
KKT305233	XTSC623-3	6410014532154	White	1/25

End Cap:


KKT3012165	XTS41-1	6410014507329	Grey	1/100
KKT3012166	XTS41-2	6410014506414	Black	1/100
KKT3012172	XTS41-3	6410014507411	White	1/100

● Flexibility - Enabling Energy Savings

Straight connector

XTSC 621


1. 120 mm



Flexible corner connector

XTSC 623

1. 82 mm, 2. 223 mm, 3. 353 mm



End cap XTS 41

1. 3 mm, 2. 21 mm

