




## 96504

Tira de LED flexible  
LED flexible Strip  
Bande LED

60 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-965 04 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 60W	965	4,8	24 - DC 24V	9 - Epistar	2 - 2700K 481 Lumens/m 3 - 3000K 507 Lumens/m 4 - 4000K 534 Lumens/m

LED CHIP: SMD 2835 - CRI>90 - L70B10/36.000H - 120 lm/W - RG0



Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control (Page 170)	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






## 96509


Tira de LED flexible  
LED flexible Strip  
Bande LED

120 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-965 09 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 5m) 5m rolls 48W	965	9,6	24 - DC 24V	9 - Epistar	2 - ■ 2700K 833 Lumens/m 3 - ■ 3000K 882 Lumens/m 4 - ■ 4000K 931 Lumens/m 6 - ■ 6000K 980 Lumens/m




LED CHIP: SMD 3528 - CRI>80 - L70B10/36.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






## 91514

Tira de LED flexible ECO  
LED flexible Strip ECO  
Bande LED ECO

120 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-915 14 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 10m)	910	14	24 - DC 24V	9 - Epistar	3 - 3000K 1277 Lumens/m
5m rolls 70W					4 - 4000K 1340 Lumens/m
B - 50m rolls 700W					6 - 6000K 1407 Lumens/m



LED CHIP: SMD 2835 - CRI>80 - L70B10/60.000H - 120 lm/W (4000K) - RG0

Options: Power Supply & Controller

Dimm		Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC








## 96514


Tira de LED flexible  
LED flexible Strip  
Bande LED

60 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-965 14 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 72W	965	14,4	24 - DC 24V	9 - Epistar	2 - 2700K 1182 Lumens/m 3 - 3000K 1247 Lumens/m 4 - 4000K 1313 Lumens/m 6 - 6000K 1379 Lumens/m



LED CHIP: SMD 5050 - CRI>80 - L70B10/55.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






## 96518


Tira de LED flexible  
LED flexible Strip  
Bande LED

120 LED/m  
Included 10 pcs. TCCLIPSP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-965 18 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 5m) 5m rolls 90W	965	18	24 - DC 24V	9 - Epistar	3 - 3000K 1552 Lumens/m 4 - 4000K 1634 Lumens/m




LED CHIP: SMD 2835 - CRI>80 - L70B10/36.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm	Smart Control	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC







## 99512. High Efficiency


Tira de LED flexible. Alta eficiencia  
LED flexible Strip. High efficiency  
Bande LED. Haute efficacité

160 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



-995 12 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 10m)	995	12	24 - DC 24V	9 - Epistar	2 - ■ 2700K 1663 Lumens/m
5m rolls 60W					3 - ■ 3000K 1705 Lumens/m
B - 50m rolls 600W					4 - ■ 4000K 1748 Lumens/m



LED CHIP: SMD 2835 - CRI>90 - L70B10/60.000H - 160 lm/W (4000K) - RG0

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control (Page 170)	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC








## 96524

Tira de LED flexible  
LED flexible Strip  
Bande LED

300 LED/m  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended



1,2 5

-965 24 - 24 9 4  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 120W	965	24	24 - DC 24V	9 - Epistar	2 - 2700K 1761 Lumens/m 3 - 3000K 1859 Lumens/m 4 - 4000K 1957 Lumens/m 6 - 6000K 2055 Lumens/m



LED CHIP: SMD 2216 - CRI>90 - L70B10/54.000H - 120 lm/W - RGO

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






## 96519 Tuneable White

Tira de LED flexible  
LED flexible Strip  
Bande LED

120 LED/m  
Dual Color (2700K + 6000K)  
Included 10 pcs. TCCLIPSIP65  
3M adhesive tape double side  
5m in serial conection is the maximum recommended

When a Tuneable White LED Strip is used with a CONTROL-V20 the power for the calculation of the power supply unit will be 9.6W/m.



-965 19 - 24 9 TW  
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K
HC - Cut to size (0,10 to 10m) B - 50m rolls 960W	900	19,2	24 - DC 24V	9 - Epistar	TW - <span style="color: orange;">■</span> 2700K - <span style="color: blue;">■</span> 6000K

IP65



IP65

LED CHIP: SMD 2835 - CRI>80 - L70B10/30.000H - RG0

Options: Power Supply & Controller

Dimm		Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC

