



Ceiling lamps / Iluminación de techo

Gadil

Ceiling lamps / Iluminación de techo






SLIDE SWITCH



K SELECTOR

2700K | 3000K



	FINISH	WATT	LUM (Real)	SLIDE SWITCH (K)	ON/OFF	TRIAC (*)	DALI/PUSH	CASAMBI
450mm	□	27W	2100	▶ 2700 - 3000	P3450170B	P3450170BDT	P3450170BDP	P3450170BCA
	■				P3450170N	P3450170NDT	P3450170NDP	P3450170NCA
600mm	□	48W	3730	▶ 2700 - 3000	P3450270B	P3450270BDT	P3450270BDP	P3450270BCA
	■				P3450270N	P3450270NDT	P3450270NDP	P3450270NCA
900mm	□	126W	9800	▶ 2700 - 3000	P3450470B	P3450470BDT	P3450470BDP	P3450470BCA
	■				P3450470N	P3450470NDT	P3450470NDP	P3450470NCA

(*) TO BE USED EXCLUSIVELY WITH LED DIMMING SYSTEM AND ONLY ONE UNIT PER SYSTEM | USO EXCLUSIVO PARA REGULADORES LED Y MÁXIMO UNA UNIDAD POR REGULADOR.

FINISH | □ TEXTURED WHITE - OPAL | BLANCO TEXTURADO - OPAL ■ TEXTURED BLACK - OPAL | NEGRO TEXTURADO - OPAL



IP20 IK06 CRI>90



incl

COMPATIBLE
CASAMBI



MacAdam
Step<=3

L80B10 ≥60.000h




UGR<19

METAL - ACRYLIC | METAL - ACRÍLICO




Ceiling ACCESSORIES

REMOTE CONTROL				RECEIVER CODE		REMOTE CONTROL CODE	
	Ø450					MULTICANAL XCONTROL001	
	Ø600	✓	DALI ITEM CODE	+	XDRVPART008	+	
	Ø900					MONOCANAL XCONTROL021	
SMART CONTROL							
	Ø450						
	Ø600	✓	CONSULT OUR SALES TEAM CONSULTA A NUESTRO EQUIPO COMERCIAL				
	Ø900						
EMERGENCY							
	Ø450				1H 6BAT004	3H 6BAT05	
	Ø600	✓	ITEM CODE	+	✓ Internal	or	✓ Internal
	Ø900						
RAL COLOUR							
	Ø450						
	Ø600	✓	WHITE ITEM CODE	+	RAL CODE		
	Ø900						

Gadil

SLIDE SWITCH




K SELECTOR

2700K 3000K



Ceiling lamps / Iluminación de techo



	FINISH	WATT	LUM (Real)	SLIDE SWITCH (K)	ON/OFF	TRIAC (*)	DALI/PUSH	CASAMBI
450mm	□	27W	2100	▶ 2700 - 3000	C3450170B	C3450170BDT	C3450170BDP	C3450170BCA
	■				C3450170N	C3450170NDT	C3450170NDP	C3450170NCA
600mm	□	48W	3730	▶ 2700 - 3000	C3450270B	C3450270BDT	C3450270BDP	C3450270BCA
	■				C3450270N	C3450270NDT	C3450270NDP	C3450270NCA
900mm	□	126W	9800	▶ 2700 - 3000	C3450470B	C3450470BDT	C3450470BDP	C3450470BCA
	■				C3450470N	C3450470NDT	C3450470NDP	C3450470NCA
1100mm	□	144W	11200	▶ 2700 - 3000	C3450570B	C3450570BDT	C3450570BDP	C3450570BCA
	■				C3450570N	C3450570NDT	C3450570NDP	C3450570NCA
1350mm	□	168W	13100	▶ 2700 - 3000	C3450670B	C3450670BDT	C3450670BDP	C3450670BCA
	■				C3450670N	C3450670NDT	C3450670NDP	C3450670NCA

(*) TO BE USED EXCLUSIVELY WITH LED DIMMING SYSTEM AND ONLY ONE UNIT PER SYSTEM | USO EXCLUSIVO PARA REGULADORES LED Y MÁXIMO UNA UNIDAD POR REGULADOR.

FINISH | □ TEXTURED WHITE - OPAL | BLANCO TEXTURADO - OPAL ■ TEXTURED BLACK - OPAL | NEGRO TEXTURADO - OPAL



IP20 IK06 CRI>90



incl

COMPATIBLE
CASAMBI



MacAdam
Steps3

L80B10 ≥60.000h



UGR<19

METAL - ACRYLIC | METAL - ACRÍLICO



Gadil

Ceiling lamps / Iluminación de techo

Pendant ACCESSORIES

REMOTE CONTROL			RECEIVER CODE	REMOTE CONTROL CODE		
	Ø450			<u>MULTICANAL</u>		
	Ø600			XCONTROL001		
	Ø900	✓	DALI			
	Ø1100		ITEM CODE + XDRVPART008			
	Ø1350			<u>MULTICANAL</u>		
				XCONTROL021		
SMART CONTROL						
	Ø450					
	Ø600					
	Ø900	✓	CONSULT OUR SALES TEAM CONSULTA A NUESTRO EQUIPO COMERCIAL			
	Ø1100					
	Ø1350					
EMERGENCY			1H	3H		
			6BAT004	6BAT005		
	Ø450					
	Ø600					
	Ø900	✓	ITEM CODE +	✓ External	or	✓ External
	Ø1100					
Ø1350						
RAL COLOUR						
	Ø450					
	Ø600					
	Ø900	✓	WHITE			
	Ø1100		ITEM CODE +	RAL CODE		
	Ø1350					
ACOUSTIC PANEL						
	Ceiling Lamp	✗				
	Pendant Lamp					
	Ø450			K0006340R0000		
	Ø600			K0006440R0000		
	Ø900	✓	ITEM CODE +	K0006540R0000		
	Ø1100			K0006640R0000		
Ø1350			K0006740R0000			